2004

Virginia Department of Transportation Daily Traffic Volume Estimates Including Vehicle Classification Estimates

where available

Special Locality Report 312

Town of Timberville

Prepared By

Virginia Department of Transportation Mobility Management Division

In Cooperation With

U.S. Department of Transportation Federal Highway Administration

Virginia Department of Transportation Mobility Management Division Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people at VDOT Mobility Management's Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a "Combined Traffic Estimates for Parallel Roadways on this Route" or "Combined Traffic" identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate "NA" for not available.

VDOT's traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating "NA" for not available. It is the intention of the VDOT's Mobility Management Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate "NA" for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the Peak Hour estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Peak Hour Factor of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

North
81 Interstate Route

Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.

(29) US Route

7 Virginia State Route

(600) Secondary Route

Special Routes

Bus Bus - Business Route
Bypas - Bypass Route
Truck - Truck Route
ALT ALT - Alternate Route
Wve - Wve Route connector

P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.

The VDOT Maintainenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus		Tru 3+Axle			QC	K Factor	QK	Dir Factor	AAWDT	QW
Forestville Rd	Town of Timberville (Maint: 82)	0.18	L Timbervi	lle N	94%	1%	1%	1%	3%	0%	N	0.09	N	0.509	13000	N
42 Forestville Rd	Town of Timberville (Maint: 82)	0.68	SR 211 2500	N	93%	1%	1%	3%	2%	0%	N	0.09	N	0.575	2500	N
42 Forestville Rd	Town of Timberville (Maint: 82)	0.41	32-617 North 2500 CL Timbervi	G	93%	1%	1%	3%	2%	0%	С	0.09	F	0.575	2500	G
211) New Market Rd	Town of Timberville (Maint: 82)	SR 42 S 0.69	outh of Tim	berville G	87%	1%	1%	3%	7%	0%	С	0.086	F	0.534	4400	G
	To:	ECL Timberville														

						I own of I imb	erville									
Route	Length	AADT	QA	4Tire	Bus	2Axle 3+Ax			QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
Town of Timberville																
(247)	0.06	1800	G	95%	1%	WCL Timber 2% 2%		0%	С	0.099	N	0.535	1900	G	2004	
(617)	0.00	1000	Ū	Tn·	170	SR 42 NOR		070	Ü	0.000	.,	0.000	1000	Ŭ	2004	
\bigcirc			_	From:	401	SR 42 SOU										
617	0.19	1700	G	96%	1%	1% 2%	0%	0%	F	0.091	F	0.515	1800	G	2004	
\bigcap	0.17	1400		From:	1%	82-1504	00/	00/		0.404	F	0.547	1400		2004	
617	0.17	1400	G	96% To:	170	1% 2% ECL TIMBERY	0%	0%	F	0.101	Г	0.547	1400	G	2004	
				From:		82-800		1								
618 Lone Pine Rd	0.50	1600	R	<u> </u>						NA			NA		08/21/2000	
(82)				To: From:		82-793										
618 Lone Pine Rd	0.16	1700	G	98%	0%	1% 0%	0%	0%	С	0.090	F	0.584	1800	G	2004	
62)				To:		SR 211										
O 0 D	0.04	4000		From:		SCL Timber	rille								40/40/000	
(800) Co-op Dr	0.01	1800	N							NA			NA		10/16/2003	
Oc Dr	0.00	4000		From:		82-618 NOR	TH	-		NIA			NIA		00/00/000	
(800) Co-op Dr	0.36	1200	R	To:		Dead End; Gap T	erminus			NA			NA		08/28/200	
				From:		SR 42 S; Gap Te										
800 Co-op Dr	0.06	5100	R							NA			NA		10/08/2003	
				From:		82-1512 SOU	TH									
800 Co-op Dr	0.07	4800	R							NA			NA		08/30/2000	
				From:		82-1511 SOU	TH									
800 Co-op Dr	0.04	4300	R							NA			NA		12/03/2003	
<u> </u>	0.00	4000		From:		82-1510 EA	ST								40/00/000	
800 Co-op Dr	0.02	4300	R							NA			NA		12/03/2003	
Co on Dr	0.05	4700	В	From:		82-1510 WE	ST			NIA			NΙΔ		00/00/000	
800 Co-op Dr	0.05	4700	R							NA			NA		08/28/2000	
(800) Co-op Dr	0.04	4200	R	From:		82-1509				NA			NA		10/08/2003	
(800) Co-op Dr	0.04	4200	IX.	т						INA			INA		10/00/2000	
(800) Co-op Dr	0.09	3000	R	From:		82-1508 SOU	TH			NA			NA		10/08/2003	
(800) Co-op Dr	0.00	0000		To:	WCL Timberville S								10.		10/00/2000	
				From:		NCL Timber	ville									
881 Orchard Dr	0.24	2000	G	96%	0%	1% 1%	1%	0%	С	0.088	F	0.65	2000	G	2004	
				To:		SR 42										
	0.05	200	R	From:		SR 42				NA			NA		1997	
(1501) R2	0.05	200	K							INA			INA		1991	
(FS)	0.06	130	R	From:		82-1503				NA			NA		1997	
(1501) R2	0.00	100		To:		02.1502				1471			14/1		1007	
(1501)	0.06	80	R	From:		82-1502				NA			NA		1997	
1301)				To:		82-1504										
				From:		82-1505										
1502	0.10	60	R							NA			NA		1997	
<u>.</u>				To:		82-1501										
$\overline{}$	0.12	100	В	From:		82-1505				NIA			NA		1007	
1503	0.12	100	R	To		82-1501				NA			INA		1997	
				From:		82-617		<u>_</u>								
(1504)	0.20	160	R			32 017				NA			NA		1997	
R2				To: From:		82-1505		<u> </u>								
(1504) (1504) (1504) (1504)	0.15	80	R	From:						NA			NA		1997	
04/				To		82-1501										

						I own of Timberville					
Route	Length	AADT	QA	4Tire	Bus	Truck 2Axle 3+Axle 1Trail 2Trail	C)C:	K ctor	K Dir Factor	AAWDT QW	Year
Town of Timberville				From:		SR 42	1				
1505 82	0.07	260	R	<u> </u>		SR 42	7	IA		NA	1997
				To: From:		82-1503	}				
1505 82	0.08	170	R					IA		NA	1997
	0.04	460		From:		82-1502		1.4		NIA	4007
1505	0.01	160	R	To:		82-1504	1	IA		NA	1997
				From:		SR 42					
1506	0.33	100	R	_			١	IA		NA	1997
				To:		82-1507					
	0.24	660	R	From:		82-800]	IA		NA	1997
1507)	0.24	000	• • • • • • • • • • • • • • • • • • • •	To		SR 42	1	., (14/1	1007
1507	0.55	680	R	From:		SR 42	,	IA		NA	1997
821				To:		82-1519 NORTH]				
	0.02	800	R	From:		82-1519 SOUTH]	IA		NA	1997
1507 82	0.02	800	K	To:		SR 211	1 '	iA		INA	1991
				From:		82-800					
1508	0.19	600	R				١	IA		NA	1997
<i></i>				To:		82-800					
\bigcirc	0.40	600		From:		82-800 SOUTH]	1.4		NIA	4007
1509	0.13	620	R				יו •	IA		NA	1997
	0.05	560	R	From:		82-1517		IA		NA	1997
1509	0.05	300	IX.	To:		82-800 NORTH	1 '	<i>i</i>		INA	1331
				From:		82-800 WEST	1				
1510	0.13	140	R				١	IA		NA	1997
				To: From:		82-1517	}				
1510	0.05	130	R				١	IA		NA	1997
<u> </u>				To:		82-800 NORTH					
	0.07	240	R	From:		82-800 SOUTH]	IA		NA	1997
1511	0.07	240	• • • • • • • • • • • • • • • • • • • •	To:		92 1512	1	., .		14/1	1007
1511	0.08	240	R	From:	82-1513	82-1313	,	NA		NA	1997
821				To:		82-1517	1				
1511	0.10	200	R	From:		02 1017	, ,	IA		NA	1997
82				To:		82-800 NORTH	1				
\bigcirc				From:		82-800 SOUTH]				
1512	0.08	190	R				_ N	IA		NA	1997
	0.00	200	В	From:		82-1513		1.0		NΙΔ	1007
1512	0.08	260	R				ין ד	IA		NA	1997
	0.10	200	R	From:		82-1517		IA		NA	1997
1512 R2	0.10	200		To:		82-800 NORTH]			IVA	1557
				From:		82-1511					
1513	0.06	130	R					IA		NA	1997
				To: From:		82-1512]				
1513	0.05	130	R				١	IA		NA	1997
				To:		SR 42	<u> </u>				
	0.07	420	R	From:		SR 42]	IA		NA	1997
1514 82	0.07	720		To		92 1515	1	., ,		14/3	1331
1514	0.28	230	R	From:		82-1515		IA		NA	1997
1514			-	To:		SR 211	1				

Route	Length	AADT	QA	4Tire	Bus 2Axle 3+Axle 1Trail 2Trail	OC OK	AAWDT QW	Year
Town of Timberville				From:	CD 211			
1515	0.10	310	R	110111	SR 211	I NA	NA	1997
				To: From:	82-1516	<u> </u>		
1515	0.10	220	R	To	82-1514	NA 1	NA	1997
				From:	82-1515			
1516	0.08	80	R		02-1313	NA	NA	1997
82				To	Dead End			
	0.03	80	R	From:	82-1509] NA	NA	1997
1517	0.03	00	IX.	To	82-1510	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	INA .	1997
1517 82	0.06	110	R	From:	82-1310	NA	NA	1997
82				To:	82-1511			
(1517)	0.06	160	R	Prom:		NA	NA	1997
				To: From:	82-1512			
1517 82	0.05	260	R			NA	NA	1997
				To:	SR 42; SR 211			
1510	0.06	380	R	From:	82-1507 SOUTH	I NA	NA	1997
1519	0.00			To	82-1520 SOUTH	L		
(1519) (1519) (82)	0.20	110	R	From:	62-1320 SOOTH	NA	NA	1997
82				To	82-1520 NORTH			
(1519)	0.13	170	R	From:		NA	NA	1997
82)				To:	82-1507 NORTH			
\bigcirc	0.00	450		From:	82-1519 SOUTH	NIA.	NIA	4007
(1520) 87	0.09	150	R			NA 1	NA	1997
	0.11	50	R	From:	82-1522	NA	NA	1997
1520	0.11	30		To:	82-1519 NORTH		IVA	1007
_				From:	82-617 WEST			
E Riverside Dr	0.43	310	R	_		NA	NA	10/06/2003
				To:	ECL Timberville			
4522	0.05	90	R	From:	82-1507	J NA	NA	1997
(1522) 82	0.00			To:	82-1520			1001
				From:	Dead End			
(1523)	0.10	150	R	_		NA	NA	10/08/2003
				To:	82-617			
(1524) Ridge Court	0.08	150	R	From:	Cul-de-Sac] NA	NA	1997
Ridge Court	0.00	130	K	To	02.1520	1	INA	1997
(1524) Ridge Court	0.03	360	R	From:	82-1528	NA	NA	1997
(1524) Ridge Court				To	82-1525	1		
1524 Ridge Court 0	0.07	440	R	From:	02 1323	NA	NA	1997
82				To:	SR 211 New Market Rd			
				From:	82-1524			
(1525) 82	0.07	140	R	_		NA -	NA	1997
O		465		From:	82-1526	<u> </u>		
Ridge Court	0.06	100	R	To	Cul-de-Sac	NA I	NA	1997
				From:	82-1525			
(1526) Williamsport Rd	0.06	130	R	<u> </u>	04-1343	I NA	NA	1997
Williamsport Rd				To:	82-1527	<u> </u>		
•								

					I OW	II OI TIIIIDE	VIIIC								
Route	Length	AADT	QA	4Tire	Rus	Tr xle 3+Axle			QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
Town of Timberville					24.	NE STANE	e IIIali	ZIIali		racioi		racioi			
-				From:		82-1527									
1526 Williamsport Rd	0.03	380	R							NA			NA		1997
···				To-	SR 2	11 New Mark	et Rd								
				From:		82-1526									
Sherrando Court	0.10	170	R							NA			NA		1997
				To:		Cul-de-Sac									
				From:		Cul-de-Sac									
1528	0.08	160	R	. —						NA			NA		1997
				To:		82-1524									
O 5:			_	From:		Cul-de-Sac									00/01/00
Riggleman Dr	0.18	370	R	To:		02 1507				NA			NA		08/24/200
						82-1507									
530 Co-op Dr	0.04	620	_	From:	WC	CL Timbervill	e N			NIA			NIA		40/44/00/
	0.04	630	R							NA			NA		10/14/200
<u> </u>				From:	82	2-1508 NORT	H								
1530 Co-op Dr	0.08	860	R							NA			NA		12/03/200
				To: From:	82	2-1509 NORT	Н								
1530 Co-op Dr	0.05	1200	R							NA			NA		08/24/200
				To:	82	2-1510 NORT	Н	-							
1530 Co-op Dr	0.08	950	R	·						NA			NA		12/08/200
<u>02</u>				To: From:	82	2-1511 NORT	Н	1							
1530 Co-op Dr	0.02	1100	R	From:						NA			NA		10/14/200
				To		82-1507									
1530) Co-op Dr	0.05	1100	R	From:		32-1307				NA			NA		08/24/200
Co-op Dr				To:	0.0	1512 NOPT	TT								
1530) Co-op Dr	0.06	860	R	From:	82	2-1512 NORT	н			NA			NA		10/01/200
(1530) Co-op Dr	0.00	000	١,	To:	SR 4	2 N, Forestvil	le Rd			14/-1			11/7		10/01/200
					DIC 1.	, - 0.00tvii									